

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (original) A zoom system for a microscope, the zoom system comprising a first lens group having lenses (11) and (12), a second lens group having lenses (13) and (14), a third lens group having lenses (15) and (16), and a fourth lens group having lenses (17) and (18) arranged in sequence and aligned along an optical axis, the first and fourth lens groups being mirror images of one another, the second and third lens groups being mirror images of one another, a first air gap between the first and second lens groups, a second air gap between the second and third lens groups, and a third air gap between the third and fourth lens groups, each of the second and third lens groups being movable along the optical axis thereby enabling variation of the first, second, and third air gaps, wherein the lenses (11 through 18) and air gaps have the following geometric and optical properties:

Boundary surface or r ₁ (mm)	Radius d ₁ (mm)	Thickness or air gap [air gaps given at first limit, intermediate position, and second limit]	n _d	v _d
S1	29.48			
Lens 11	2.0		1.72342	37.95
S2	18.62			
Lens 12	3.5		1.49700	81.63
S3	-176.25			
Air Gap 1	31.65...23.18...2.00			
S4	-123.57			
Lens 13	2.0		1.57956	53.87
S5	12.93			
Lens 14	3.0		1.76182	26.52
S6	19.69			
Air Gap 2	14.70...2.64...15.35			
S7	-19.69			
Lens 15	3.0		1.76182	26.52

Appl. No. 10/692,571
Amendment and Response to Office Action
Reply to Office Action of April 19, 2004

S8	-12.93			
Lens 16	2.0	1.57956	53.87	
S9	123.57			
Air Gap 3	2.65...23.18...31.65			
S10	176.25			
Lens 17	3.5	1.49700	81.63	
S11	-18.62			
Lens 18	2.0	1.72342	37.95	
S12	-29.48			

2. (canceled)

3. (original) The zoom system as defined in Claim 1, wherein the lenses are formed of optical materials having deviations of the relative partial dispersions from the standard straight lines described by

$$|P_{g,F} - P_{n,g,F}| > 0.001$$

and

$$|P_{C,t} - P_{n,C,t}| > 0.002$$

4. (original) The zoom system as defined in Claim 3, wherein lenses (11) and (18) are formed of a material (A), lenses (12) and (17) are formed of a material (B), lenses (13) and (16) are formed of a material (C), and lenses (14) and (15) are formed of a material (D), wherein materials (A), (B), (C), and (D) are described by the following table:

Material	n_d	v_d	Delta $P_{g,F}$ (deviations of the relative partial dispersions)	Delta $P_{C,t}$ (deviations of the relative partial dispersions)
A	1.72342	37.95	0.0035	0.0023
B	1.49700	81.63	0.0319	-0.1133
C	1.57956	53.87	-0.0012	-0.0053
D	1.76182	26.52	0.0150	0.0046

5. (original) The zoom system as defined in Claim 1, wherein the lenses are fabricated of materials chosen for a correction of the secondary spectrum.
6. (original) The zoom system as defined in Claim 1, wherein the lenses are fabricated of materials chosen for a correction of astigmatism.
7. (original) The zoom system as defined in Claim 1, wherein the lenses are fabricated of materials chosen for a correction of field curvature.
8. (original) A microscope having a zoom system as defined in Claim 1 and an eyepiece.
9. (original) The microscope as defined in Claim 8, wherein the field curvature of the zoom system is adapted to the field curvature of the eyepiece.
10. (original) The microscope as defined in Claim 9, wherein the microscope is a stereomicroscope.

11. (original) The microscope as defined in Claim 10, wherein the stereomicroscope is a two-channel stereomicroscope.